

## Michigan Profile for Healthy Youth 2021-2022



#### **East Grand Rapids Public Schools**

**Tobacco: High School** 

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                          |                       | Gra             | ade            | Ger            | nder           |       |                | Race/               | Ethnicity          |                |                   | Acad           | emics |
|--|--------------------------|-----------------------|-----------------|----------------|----------------|----------------|-------|----------------|---------------------|--------------------|----------------|-------------------|----------------|-------|
|  | N/A<br>YRBS <sup>1</sup> | District <sup>2</sup> | 9               | 11             | М              | F              | Black | White          | Hispanic/<br>Latino | American<br>Indian | Asian          | Arab/<br>Chaldean | As/Bs          | Ds/Fs |
| Attitudes Toward Tobacco   |                          |                       |                 |                |                |                |       |                |                     |                    |                |                   |                |       |
| Percentage of students who reported sort of easy or very easy to get cigarettes                                    | N/A                      | 26.4%<br>(110)        | 17.7%<br>(38)   | 35.8%<br>(72)  | 26.1%<br>(52)  | 27.6%<br>(58)  | -     | 26.3%<br>(90)  | 30.4%<br>(7)        | -                  | 18.2%<br>(2)   | -                 | 26.7%<br>(101) | -     |
| Percentage of students who reported smoking one or more packs of cigarettes per day to be a moderate or great risk | N/A                      | 86.0%<br>(357)        | 80.8%<br>(172)  | 91.6%<br>(185) | 81.6%<br>(164) | 90.3%<br>(187) | -     | 85.8%<br>(295) | 95.7%<br>(22)       | -                  | 90.0%          | -                 | 86.5%<br>(326) | -     |
| Percentage of students who reported their friends felt smoking tobacco to be wrong or very wrong                   | N/A                      | 86.5%<br>(358)        | 93.0%<br>(198)  | 79.6%<br>(160) | 88.1%<br>(177) | 84.5%<br>(174) | -     | 86.6%<br>(298) | 87.0%<br>(20)       | -                  | 100.0%<br>(10) | -                 | 86.4%<br>(325) | -     |
| Percentage of students who reported they thought all of their friends had smoked cigarettes recently               | N/A                      | 2.0%                  | 1.4%<br>(3)     | 2.5%<br>(5)    | 4.1%<br>(8)    | 0.0%<br>(0)    | -     | 2.4%           | 0.0%<br>(0)         | -                  | 0.0%<br>(0)    | -                 | 1.9%<br>(7)    | -     |
| Percentage of students who reported they thought most of their friends had smoked cigarettes recently              | N/A                      | 0.5%<br>(2)           | 0.5%<br>(1)     | 0.5%<br>(1)    | 0.0%           | 1.0%<br>(2)    | -     | 0.3%<br>(1)    | 0.0%<br>(0)         | -                  | 9.1%<br>(1)    | -                 | 0.5%<br>(2)    | -     |
| Percentage of students who reported they thought some of their friends had smoked cigarettes recently              | N/A                      | 5.4%<br>(22)          | 4.8%<br>(10)    | 6.0%<br>(12)   | 5.6%<br>(11)   | 5.4%<br>(11)   | -     | 4.2%<br>(14)   | 13.0%<br>(3)        | -                  | 9.1%<br>(1)    | -                 | 5.7%<br>(21)   | -     |
| Percentage of students who reported they thought none of their friends had smoked cigarettes recently              | N/A                      | 92.1%<br>(374)        | 93.2%<br>(193)  | 91.0%<br>(181) | 90.4%<br>(178) | 93.6%<br>(189) | -     | 93.2%<br>(314) | 87.0%<br>(20)       | -                  | 81.8%<br>(9)   | -                 | 91.9%<br>(339) | -     |
| Percentage of students who reported their parents felt cigarette use to be wrong or very wrong                     | N/A                      | 99.3%<br>(403)        | 100.0%<br>(208) | 98.5%<br>(195) | 99.5%<br>(195) | 99.0%<br>(201) | -     | 99.4%<br>(334) | 100.0%<br>(23)      | -                  | 100.0%<br>(11) | -                 | 99.5%<br>(368) | -     |
| Tobacco  |                          |                       |                 |                |                |                |       |                |                     |                    |                |                   |                |       |
| Percentage of students who ever tried cigarette smoking, even one or two puffs                                     | N/A                      | 9.0%<br>(34)          | 5.1%<br>(10)    | 13.1%<br>(24)  | 8.9%<br>(16)   | 8.9%<br>(17)   | -     | 9.2%<br>(29)   | 5.6%<br>(1)         | -                  | 9.1%<br>(1)    | -                 | 8.9%<br>(31)   | -     |
| Percentage of students who first tried cigarette smoking, even one or two puffs, before age 13 years               | N/A                      | 1.1%<br>(4)           | 1.0%<br>(2)     | 1.1%<br>(2)    | 1.1%<br>(2)    | 0.5%<br>(1)    | -     | 1.3%<br>(4)    | 0.0%<br>(0)         | -                  | 0.0%           |                   | 0.9%           | -     |

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                          |                       | Gra         | ade         | Ger  | nder        |       |             | Acad                | emics              |             |                   |       |       |
|--|--------------------------|-----------------------|-------------|-------------|------|-------------|-------|-------------|---------------------|--------------------|-------------|-------------------|-------|-------|
|  | N/A<br>YRBS <sup>1</sup> | District <sup>2</sup> | 9           | 11          | М    | F           | Black | White       | Hispanic/<br>Latino | American<br>Indian | Asian       | Arab/<br>Chaldean | As/Bs | Ds/Fs |
| Average age of first tobacco use (Note: Not a percentage)  | N/A                      | 14.6                  | 13.1        | 15.2        | 14.7 | 14.9        | -     | 14.5        | -                   | -                  | -           | -                 | 14.7  | -     |
| Percentage of students who smoked cigarettes during the past 30 days   | N/A                      | 0.3%<br>(1)           | 0.0%        | 0.6%<br>(1) | 0.6% | 0.0%<br>(0) | -     | 0.3%<br>(1) | 0.0%                | -                  | 0.0%<br>(0) | -                 | 0.3%  | -     |
| Percentage of students who smoked cigarettes on 20 or more of the past 30 days (Frequent)  | N/A                      | 0.0%<br>(0)           | 0.0%<br>(0) | 0.0%<br>(0) | 0.0% | 0.0%<br>(0) | -     | 0.0%        | 0.0%                | -                  | 0.0%<br>(0) | -                 | 0.0%  | -     |
| Among students who smoked recently, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days       | N/A                      | -                     | -           | -           | -    | -           | -     | -           | -                   | -                  | -           | -                 | -     | -     |
| Among students who smoked recently, the percentage who usually got their own cigarettes by buying them from a vending machine during the past 30 days          | N/A                      | -                     | -           | -           | -    | -           | -     | -           | -                   | -                  | -           | -                 | -     | -     |
| Among students who smoked recently, the percentage who usually got their own cigarettes by giving someone else money to buy them during the past 30 days       | N/A                      | -                     | -           | -           | -    | -           | -     | -           | -                   | -                  | -           | -                 | -     | -     |
| Among students who smoked recently, the percentage who usually got their own cigarettes by borrowing or bumming them from someone else during the past 30 days | N/A                      | -                     | -           | -           | -    | -           | -     | -           | -                   | -                  | -           | -                 | -     | -     |
| Among students who smoked recently, the percentage who usually got their own cigarettes from a person 18 years old or older during the past 30 days            | N/A                      | -                     | -           | -           | -    | -           | -     | -           | -                   | -                  | -           | -                 | -     | -     |
| Among students who smoked recently, the percentage who usually got their own cigarettes by taking them from a store during the past 30 days                    | N/A                      | -                     | -           | -           | -    | -           | -     | -           | -                   | -                  | -           | -                 | -     | -     |
| Among students who smoked recently, the percentage who usually got their own cigarettes by taking them from a family member during the past 30 days            | N/A                      | -                     | -           | -           | -    | -           | -     | -           | -                   | -                  | -           | -                 | -     | -     |

03-24-2022 Page 2 of 5

% = unweighted percentage of reported response. (n) = number of students with reported response.

|   |                          |                       | Grade       |               | Gender       |               |       | Academics    |                     |                    |              |                   |               |       |
|---|--------------------------|-----------------------|-------------|---------------|--------------|---------------|-------|--------------|---------------------|--------------------|--------------|-------------------|---------------|-------|
|   | N/A<br>YRBS <sup>1</sup> | District <sup>2</sup> | 9           | 11            | м            | F             | Black | White        | Hispanic/<br>Latino | American<br>Indian | Asian        | Arab/<br>Chaldean | As/Bs         | Ds/Fs |
| Among students who smoked recently, the percentage who usually got their own cigarettes by some other way than the question options provided during the past 30 days                            | N/A                      | -                     | -           | -             | -            | -             | -     | -            | -                   | -                  | -            | -                 | -             | -     |
| Percentage of students who smoked cigarettes on school property during the past 30 days   | N/A                      | 0.0%<br>(0)           | 0.0%<br>(0) | 0.0%<br>(0)   | 0.0%<br>(0)  | 0.0%<br>(0)   | -     | 0.0%         | 0.0%<br>(0)         | -                  | 0.0%<br>(0)  | -                 | 0.0%<br>(0)   | -     |
| Among students who are current smokers, the percentage who tried to quit all tobacco products during the past 12 months   | N/A                      | -                     | -           | -             | -            | -             | -     | -            | -                   | -                  | -            | -                 | -             | -     |
| Percentage of students who used chewing tobacco, snuff, dip, snus, or dissolvable tobacco products during the past 30 days  | N/A                      | 0.3%<br>(1)           | 0.0%        | 0.5%<br>(1)   | 0.6%<br>(1)  | 0.0%          | 1     | 0.3%<br>(1)  | 0.0%                | -                  | 0.0%         | -                 | 0.3%          | -     |
| Percentage of students who used chewing tobacco, snuff, or dip on school property during the past 30 days   | N/A                      | 0.0%<br>(0)           | 0.0%        | 0.0%          | 0.0%         | 0.0%<br>(0)   | -     | 0.0%         | 0.0%                | -                  | 0.0%         | -                 | 0.0%          | -     |
| Percentage of students who smoked cigars, cigarillos, or little cigars during the past 30 days  | N/A                      | 0.5%<br>(2)           | 0.0%        | 1.1%<br>(2)   | 0.0%         | 1.0%<br>(2)   | -     | 0.3%<br>(1)  | 0.0%                | -                  | 9.1%<br>(1)  | -                 | 0.6%          | -     |
| Percentage of students who used an electronic vapor product during the past 30 days   | N/A                      | 8.3%<br>(34)          | 2.8%        | 14.0%<br>(28) | 6.5%<br>(13) | 9.8%<br>(20)  | -     | 8.0%<br>(27) | 8.7%<br>(2)         | -                  | 10.0%<br>(1) | -                 | 8.0%<br>(30)  | -     |
| Among students who used electronic vapor products recently, the percentage who usually got their own electronic vapor products by buying them in a store or gas station during the past 30 days | N/A                      | 20.0%                 | -           | 25.0%<br>(7)  | 23.1%<br>(3) | 18.2%<br>(4)  | -     | 23.1%<br>(6) | -                   | -                  | -            | -                 | 22.6%<br>(7)  | -     |
| Among students who used electronic vapor products recently, the percentage who usually got their own electronic vapor products on the internet during the past 30 days                          | N/A                      | 2.9%<br>(1)           | -           | 0.0%<br>(0)   | 7.7%<br>(1)  | 0.0%<br>(0)   | -     | 3.8%<br>(1)  | -                   | -                  | -            | -                 | 0.0%          | -     |
| Among students who used electronic vapor products recently, the percentage who usually got their own electronic vapor products by giving someone else money to buy them during the past 30 days | N/A                      | 34.3%<br>(12)         | -           | 28.6%<br>(8)  | 15.4%<br>(2) | 45.5%<br>(10) | -     | 30.8%        | -                   | -                  | -            | -                 | 35.5%<br>(11) | -     |

03-24-2022 Page 3 of 5

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                          |                       | Ger           | nder           |               |               |       | Academics      |                     |                    |              |                   |                |       |
|--|--------------------------|-----------------------|---------------|----------------|---------------|---------------|-------|----------------|---------------------|--------------------|--------------|-------------------|----------------|-------|
|  | N/A<br>YRBS <sup>1</sup> | District <sup>2</sup> | 9             | 11             | М             | F             | Black | White          | Hispanic/<br>Latino | American<br>Indian | Asian        | Arab/<br>Chaldean | As/Bs          | Ds/Fs |
| Among students who used electronic vapor products recently, the percentage who usually got their own electronic vapor products by borrowing them from someone else during the past 30 days               | N/A                      | 28.6%<br>(10)         | -             | 32.1%<br>(9)   | 38.5%<br>(5)  | 22.7%<br>(5)  | -     | 30.8%<br>(8)   | -                   | -                  | -            | -                 | 29.0%<br>(9)   | -     |
| Among students who used electronic vapor products recently, the percentage who usually got their own electronic vapor products from a person 18 years old or older during the past 30 days               | N/A                      | 5.7%<br>(2)           | -             | 3.6%           | 7.7%<br>(1)   | 4.5%<br>(1)   | 1     | 7.7%<br>(2)    | -                   | -                  | -            | -                 | 3.2%           | -     |
| Among students who used electronic vapor products recently, the percentage who usually got their own electronic vapor products by taking them from a store or another person during the past 30 days     | N/A                      | 2.9%<br>(1)           | -             | 3.6%           | 0.0%<br>(0)   | 4.5%<br>(1)   | -     | 0.0%           | -                   | -                  | -            | -                 | 3.2%           | -     |
| Among students who used electronic vapor products recently, the percentage who usually got their own electronic vapor products some other way than the question options provided during the past 30 days | N/A                      | 5.7%<br>(2)           | -             | 7.1%<br>(2)    | 7.7%<br>(1)   | 4.5%<br>(1)   | 1     | 3.8%           | -                   | -                  | -            | -                 | 6.5%<br>(2)    | -     |
| Physical Health  |                          |                       |               |                |               |               |       |                |                     |                    |              |                   |                |       |
| Percentage of students who had ever been told by a doctor or nurse that they had asthma  | N/A                      | 18.8%<br>(73)         | 19.1%<br>(38) | 18.5%<br>(35)  | 19.7%<br>(36) | 18.2%<br>(36) | -     | 18.1%<br>(58)  | 25.0%<br>(5)        | -                  | 0.0%<br>(0)  | -                 | 18.6%<br>(66)  | -     |
| Percentage of students who had been told by a doctor or nurse that they had asthma and still have asthma (i.e. current asthma)   | N/A                      | 47.9%<br>(35)         | 50.0%<br>(19) | 45.7%<br>(16)  | 36.1%<br>(13) | 61.1%<br>(22) | 1     | 51.7%<br>(30)  | -                   | -                  | -            | -                 | 48.5%<br>(32)  | -     |
| Social Norms: Tobacco  |                          |                       |               |                |               |               |       |                |                     |                    |              |                   |                |       |
| Percentage of students that think none (0%) of the students in their grade smoke one or more cigarettes a day  | N/A                      | 31.0%<br>(120)        | 33.3%<br>(67) | 28.5%<br>(53)  | 36.6%<br>(67) | 25.4%<br>(50) | -     | 31.7%<br>(102) | 25.0%<br>(5)        | -                  | 40.0%<br>(4) | -                 | 31.8%<br>(112) | -     |
| Percentage of students that think few (1-10%) of the students in their grade smoke one or more cigarettes a day  | N/A                      | 50.4%<br>(195)        | 44.3%<br>(89) | 57.0%<br>(106) | 52.5%<br>(96) | 49.2%<br>(97) | -     | 50.6%<br>(163) | 65.0%<br>(13)       | -                  | 40.0%<br>(4) | -                 | 50.3%<br>(177) | -     |
| Percentage of students that think some (11-30%) of the students in their grade smoke one or more cigarettes a day  | N/A                      | 12.4%<br>(48)         | 16.4%<br>(33) | 8.1%<br>(15)   | 7.7%<br>(14)  | 16.2%<br>(32) | -     | 12.1%<br>(39)  | 0.0%<br>(0)         | -                  | 10.0%<br>(1) | -                 | 12.2%<br>(43)  | -     |

03-24-2022 Page 4 of 5

% = unweighted percentage of reported response. (n) = number of students with reported response.

|  |                          |                       | Gra         | ade         | Gender      |              | Race/Ethnicity |              |                     |                    |              |                   |              | Academics |  |
|--|--------------------------|-----------------------|-------------|-------------|-------------|--------------|----------------|--------------|---------------------|--------------------|--------------|-------------------|--------------|-----------|--|
|  | N/A<br>YRBS <sup>1</sup> | District <sup>2</sup> | 9           | 11          | М           | F            | Black          | White        | Hispanic/<br>Latino | American<br>Indian | Asian        | Arab/<br>Chaldean | As/Bs        | Ds/Fs     |  |
| Percentage of students that think half or less (31-50%) of the students in their grade smoke one or more cigarettes a day          | N/A                      | 3.1%<br>(12)          | 3.5%<br>(7) | 2.7%<br>(5) | 1.1%<br>(2) | 5.1%<br>(10) | -              | 3.1%<br>(10) | 5.0%<br>(1)         | -                  | 0.0%<br>(0)  | -                 | 2.8%<br>(10) | -         |  |
| Percentage of students that think half or<br>more (51-70%) of the students in their<br>grade smoke one or more cigarettes a<br>day | N/A                      | 2.3%<br>(9)           | 1.5%<br>(3) | 3.2%<br>(6) | 1.6%<br>(3) | 3.0% (6)     | -              | 1.6%<br>(5)  | 5.0%<br>(1)         | -                  | 10.0%<br>(1) | -                 | 2.3% (8)     | -         |  |
| Percentage of students that think most (71-90%) of the students in their grade smoke one or more cigarettes a day                  | N/A                      | 0.0%<br>(0)           | 0.0%        | 0.0%        | 0.0%        | 0.0%         | -              | 0.0%         | 0.0%                | -                  | 0.0%         | -                 | 0.0%         | -         |  |
| Percentage of students that think almost all (91-100%) of the students in their grade smoke one or more cigarettes a day           | N/A                      | 0.8%<br>(3)           | 1.0%<br>(2) | 0.5%<br>(1) | 0.5%<br>(1) | 1.0%<br>(2)  | -              | 0.9%<br>(3)  | 0.0%                | -                  | 0.0%<br>(0)  | -                 | 0.6%         | -         |  |

For additional MichFor additional Michigan Profile for Healthy Youth information, please log on to www.michigan.gov/miphy

N/A = Data not available

- = Data suppressed due to fewer than 10 valid student surveys

The contents of this report were developed under a grant from the United States Department of Education (Safe and Supportive Schools Grant (CFDA #84.184Y)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government.

03-24-2022 Page 5 of 5

<sup>&</sup>lt;sup>1</sup> Michigan Youth Risk Behavior Survey. For additional information on the YRBS results, please go to www.michigan.gov/yrbs.

<sup>&</sup>lt;sup>2</sup> District percentages are representative of the combined results as reported by 9th and 11th graders in participating buildings.